Advanced Search

Select Language | ▼

Home **Healthy Living** **Conditions & Treatments**

Health Tools

What's On

Forums

Videos

Health News

Health Xchange > News











News

Categories

Chronology

2012 2011

Aug 2012 | Jul 2012 | Jun 2012 | May 2012 | Apr 2012 | Mar 2012 | Feb 2012 | Jan 2012 |

 $\begin{array}{l} Dec\ 2011\ |\ Nov\ 2011\ |\ Oct\ 2011\ |\ Sep\ 2011\ |\ Aug\ 2011\ |\ Jul\ 2011\ |\ Jun\ 2011\ |\ May\ 2011\ |\ Apr\ 2011\ |\ Mar\ 2011\ |\ Dec\ 2010\ |\ Nov\ 2010\ |\ Oct\ 2010\ |\ Sep\ 2010\ |\ Aug\ 2010\ |\ Jul\ 2010\ |\ Jun\ 2010\ |\ May\ 2010\ |\ Apr\ 2010\ |\ Mar\ 201$

2010

2009 Dec 2009 | Nov 2009 | Oct 2009 | Sep 2009 | Aug 2009 |

Topic



■ Health Policy and Announcements I Diseases and Outbreaks

■ Medical Research | ■ New Treatments and Technology

RSS



Singapore ■ International

SingHealth | Health Promotion Board | Ministry of Health | Asiaone

World Health Organization | Centre for Disease Control and Prevention (US)

News Article

KKH doctor on STI

Source: Today

Tuesday, 27 | 10 | 2009

Could you have it and not know Not all STDs show obvious symptoms

IT WAS his first sexual experience with his then-girlfriend. But Eugene (not his real name) ended up getting more than he had expected.

Shortly after, his girlfriend told him she had tested positive for genital warts - something she unknowingly picked up from a former sexual partner. Eugene's subsequent check up revealed that he, too, had contracted the infection.

"I noticed tiny bumps around my genitals, but I didn't think anything was amiss because I felt no discomfort," said the 25-year old.

Contrary to popular belief, not all sexually-transmitted infections (STI) show obvious or hideous symptoms. Hence, it is possible to contract a STI and not be aware of it, said doctors whom TODAY spoke to.

"Some sexually transmitted diseases (STDs) may be symptomless," said Dr Christopher Chong, a consultant obstetrician, gynaecologist and urogynaecologist at Gleneagles Hospital. He will be speaking on the topic next month as part of the Women's Health Series - a lineup of women's health talks and workshops launched by the Obstetrical and Gynaecological Society of Singapore in partnership with the People's Association.

According to Dr Chong, more than 10 per cent of men and up to 70 per cent of women with gonorrhoea and Chlamydia - two common types of STI contracted by Singaporeans - may not experience any symptoms or discomfort. Other common STIs in Singapore include syphlis, genital herpes, genital wards and Aids.

Chlamydia Trachomatis, which affects both the mouth and genital areas, is one of the most common STI afflicting women, accordingly to Dr Wee Horng Yen, consultant and director of the Women's Wellness Centre at KK Women's and Children's hospital.

Because the infection can be a silent one, woman may contract Chlamydia from sexual partners who appear healthy, said Dr Wee.

In other cases where symptoms do show up, the problem may simply be due to a lack of awareness. "The patient may be unaware as they do not know the symptoms, and some of these can disappear without treatment. But this does not mean that the person is cured." said Dr Chong

While it is not unusual for STI victims to feel anger, anxiousness and even depression, a few may also be in a state of disbelief.

"Some are puzzled as to how they could have gotten it, especially if they have a monogamous relationship, and they claim to have been faithful," said Dr Chong.

What they don't realise, warned Dr Wee, is that even one unprotected sexual encounter, as in Eugene's case, may have dire consequences. (STI can cause health complications such as brain and spinal-cord damage, blindness,

Ask the Specialists - Free Doctor Q&A (Now - 30th September)

Corneal Transplant

Seize this chance to ask any question you might have regarding corneal transplant. Our expert is here to help



Heart Disease and You

If you have questions related to heart health, take this opportunity to ask our expert today



High Blood Pressure: The Answers Exercise to Lose Weight: The Answers



Stay in Touch With Health Xchange





Medical Expertise Contributed by:

Singapore General Hospital Tel: (65) 6222 3322

KK Women's and Children's Hospital National Cancer Centre Singapore Tel: (65) 6436 8000

National Heart Centre Singapore Tel: (65) 6436 7800 Singapore National Eye Centre Tel: (65) 6227 7255

National Dental Centre Singapore Tel: (65) 6324 8910 National Neuroscience Institute Tel: (65) 6357 7153

New to HealthXchange:

Subscribe to our free e-newsletter to get the latest health tips, events and promotions

E-mail address





For instance, a man with a history of genital herpes can pass the infection to his wife, despite the fact that he has been faithful since marriage, Dr Wee said.

"The man may shed the virus in his semen without him experiencing any symptoms. His wife gets infected, and can get very distressing genital herpes symptoms such as severe genital pain, ulcers and difficulty passing urine," he added.

Condoms, said Dr Wee, can greatly reduce the risk of STI.

According to consultant obstetrician, gynaecologist and urogynaecologist, Dr Christopher Chong, common STI symptoms include:

- genital discharge (from bladder opening or the vagina)
- · genital rashes, sores and blisters
- growths and ulcers around the genitals
- · swelling of lymph nodes in the groin area

Healthy Living: Men's Health | Women's Health | Children's Health | Seniors' Health |
Diet and Nutrition | Fitness and Exercise | Health at Work | Healthy Recipes | Managing Chronic Illnesses |
Skin and Beauty | Special Focus

Health Forums: Ask The Specialists | Community discussions | Lifelines (Support groups)

Healthxchange: About Us | FAQ | Newsletter | Site Map | Contact Us

Copyright © 2012. All rights reserved.

<u>Terms & Conditions</u> | <u>Privacy Policy</u> Google Translate Disclaimer